




View from Top side (Scale 2:1)




View from Bottom side (Scale 2:1)



Top Layer (Scale 2:1)



Int2 (Sign) (Scale 2:1)



A

B

C

D

E

1

1

2

2


3

3

4

4

Int3 (Sign) (Scale 2:1)



A

B

C

D

E

1

1

2

2

3

3

4

4

A

B

C

D

E

Bottom Layer (Scale 2:1)

1

1

2

2

3

3

4

4


A

B

C

D

E



Layer Stack Legend

Material	Layer	Thickness	Dielectric Material	Material Type	Gerber
	Top Overlay			Legend	GTO
	Surface Material	0.03mm	SM-001	Solder Mask	GTS
PbSn	Top Surface Finish	0.02mm		Surface Finish	
CF-004	Top Layer	0.04mm		Signal	GTL
<i>Prepreg</i>		<i>0.10mm</i>	<i>PP-015</i>	<i>Dielectric</i>	
CF-004	Int1 (GND)	0.02mm		Internal Plane	GP1
<i>Core</i>		<i>0.55mm</i>	<i>Core-035</i>	<i>Dielectric</i>	
CF-004	Int2 (Sign)	0.02mm		Signal	G1
<i>Prepreg</i>		<i>0.11mm</i>	<i>PP-016</i>	<i>Dielectric</i>	
CF-004	Int3 (Sign)	0.02mm		Signal	G2
<i>Core</i>		<i>0.55mm</i>	<i>Core-035</i>	<i>Dielectric</i>	
CF-004	Int4 (GND)	0.02mm		Internal Plane	GP2
<i>Prepreg</i>		<i>0.10mm</i>	<i>PP-015</i>	<i>Dielectric</i>	
CF-004	Bottom Layer	0.04mm		Signal	GBL
PbSn	Bottom Surface Finish	0.02mm		Surface Finish	
	Surface Material	0.03mm	SM-001	Solder Mask	GBS
	Bottom Overlay			Legend	GBO

Total thickness: 1.64mm

1

2

3

4

A

B

C


D

E

Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
F	1451	0.20mm(8mil)	Plated	
▽	29	0.30mm(12mil)	Plated	
◇	14	0.60mm(24mil)	Plated	
⊕	18	0.65mm(26mil)	Plated	
⊞	6	0.80mm(31mil)	Plated	
⊗	20	0.90mm(35mil)	Plated	
□	2	1.00mm(39mil)	Plated	
D	8	1.02mm(40mil)	Plated	
⊗	1	1.10mm(43mil)	Non-Plated	
⊞	1	1.10mm(43mil)	Plated	
▽	1	1.15mm(45mil)	Non-Plated	
⊗	4	1.20mm(47mil)	Plated	
c	4	1.60mm(63mil)	Plated	
○	1	1.65mm(65mil)	Non-Plated	
⊗	4	3.50mm(138mil)	Non-Plated	
☆	1	3.70mm(146mil)	Plated	
	1565 Total			

Realistic View



Realistic View

